

522,438
10/522438

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
22 January 2004 (22.01.2004)

PCT

(10) International Publication Number
WO 2004/006708 A1

(51) International Patent Classification⁷: **A43B 7/02**

(21) International Application Number:
PCT/EP2003/007124

(22) International Filing Date: 3 July 2003 (03.07.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
S2002/0581 15 July 2002 (15.07.2002) IE
S2003/0214 24 March 2003 (24.03.2003) IE

(71) Applicant and

(72) Inventor: **CONNOLLY, James** [IE/IE]; Waveware Limited, Templemichael Business Park, Ballinalee Road, Longford (IE).

(74) Agent: **PURDY, Hugh, Barry**; Murgitroyd & Company, Scotland House, 165-169 Scotland Street, Glasgow G5 8PL (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AN ARTICLE OF FOOTWEAR



(57) Abstract: An article of footwear comprises an upper portion (2) which is dimensioned to at least partially enclose a user's foot, a sole portion (3) connected to the upper portion and a solid microwaveable, insole shaped heating pad (6). The sole portion includes a pocket (5) which is dimensioned for receipt of the heating pad. The article is adapted for removal and insertion of the heating pad by means of an openable fastener which connects the upper portion to the sole portion. The invention also relates to a method of heating a foot comprising the step of providing an article of footwear according to the invention, removing the heating pad from the pocket of the article of footwear, heating the heating pad in a microwave for a suitable amount of time, inserting the heating pad into the pocket of the article of footwear and placing the article of footwear onto a user's foot.

WO 2004/006708 A1

An Article of Footwear

Introduction

The invention relates to an article of footwear, and specifically a slipper. In particular, the invention relates to an article of footwear which is adapted to provide heat to a users foot. The invention also relates to a method of heating a users foot using the article of footwear of the invention.

There are a number of known shoes, boots or slippers of the type having material inserts or packs in the lining or sole, which are suitable for heating. These generally fall into one of three types. The first type consists of a natural material such as corn, wheat or nuts which is housed in an encapsulant which itself can be heated, along with the shoe in which it is carried, in a microwave. One problem with this type of material is that it's heat retention characteristics are poor, as it stays warm for only about 15 minutes. Additionally, as the

1 natural material only holds a very small amount of
2 water, the equilibrium temperature of the material
3 does not get above 80°C. Further, upon heating, the
4 water can escape from the natural material as water
5 vapour resulting in a decrease in the amount of
6 water over time and a consequential decrease in the
7 equilibrium temperature of the material. Further,
8 the nature of the material is such as to give off an
9 odour during heating which for most people is
10 unacceptable. A further, major, drawback of these
11 types of products is that bunching can occur, this
12 being the natural tendency of the material when
13 agitated to migrate into low pressure areas of the
14 article of footwear. Generally these areas are ones
15 which do not require heat.

16
17 A further type of microwaveable insert comprises the
18 use of a dessicant instead of a natural material.
19 While the use of a dessicant overcomes the odour
20 problem, it has been found to be ineffective in
21 overcoming the heat retention or bunching problem.
22 The heat retention problem is due, in part, to the
23 small amounts of water that dessicant can hold.

24
25 A further type of microwaveable insert for shoes and
26 slippers comprises an encapsulated gel. Generally
27 these gels include a thickening agent, normally a
28 super absorbent polymer. Due to the presence of a
29 thickening agent, the gels have a very poor thermal
30 conductivity, due to the fact that the liquid cannot
31 generate convective currents. Thus, when heated in a
32 microwave, hot spots can occur within the insert.

1 Due to the poor thermal conductivity within such
2 products, it is generally necessary when microwaving
3 the insert to microwave it for a period of time on
4 one side, and then turn the product over and
5 microwave it for a further period of time, with a
6 view to homogenising the amount of heat dissipated
7 from the surfaces of the insert. Often, to
8 sufficiently microwave one of these products, three
9 or more microwaving steps are required.

10

11 International Patent Application Number WO94/28834
12 in the name of JMK International Inc. describes (in
13 Figures 3 and 4) a microwaveable slipper. The
14 slipper comprises a number of microwaveable heating
15 pads which are integrally built into the sole and
16 upper portion of the shoe. As such, in order to heat
17 the product it is necessary to insert the whole
18 product into a microwave.

19

20 Statements of Invention

21

22 Surprisingly, the Applicant has realised a number of
23 problems inherent in using the slipper disclosed in
24 International Patent Application WO94/28843. A first
25 problem is the problem of malodour being produced as
26 a result of microwaving the whole slipper. As will
27 be readily evident to the reader, as a user
28 generally uses a slipper without socks, the slippers
29 are prone to becoming soiled with sweat, dirt from
30 the users feet, dead skin etc. Thus, when the
31 slipper is heated, it is prone to producing a bad
32 smell. This problem is further exacerbated by the

1 fact that most microwaves are predominantly used to
2 heat or reheat food products. As such, one would be
3 quite disinclined to place a food product in a
4 microwave which had just been used to heat a
5 slipper. Likewise, if the sole of the slipper has
6 picked up any dirt, it is likely that the user will
7 be less inclined to place it in a microwave.

8

9 Accordingly, the invention provides an article of
10 footwear comprising an upper portion and a sole
11 portion, the sole portion being connectable to the
12 upper portion and including a pocket for receipt of
13 a microwaveable heating pad, wherein the article is
14 adapted for removal and insertion of the heating
15 pad.

16

17 Thus, an article of footwear according to the
18 invention obviates the problems described above due
19 to the fact that the microwaveable heating pad may
20 be easily removed from the article of footwear and
21 placed into the microwave for heating in the absence
22 of the article of footwear.

23

24 In a preferable embodiment of the invention, the
25 upper portion and the sole portion are detachable
26 along at least a portion of a circumference of the
27 article to allow access to the pocket for insertion
28 and removal of the microwaveable heating pad.

29

30 In one embodiment of the invention, the upper
31 portion and the sole portion are connected by means
32 of a detachable fastener, such as, for example, a

1 zip. Many other types of detachable fasteners are
2 envisaged such as, for example, velcro, a hook and
3 eye arrangement, buttons, press studs, and the like.
4 In one embodiment of the invention, the openable
5 fastener extends completely around the circumference
6 of the article of footwear. Alternatively, the
7 openable fastener may only extend along a portion of
8 the article of footwear, such as, for example around
9 a heel of the article of footwear.

10

11 In one embodiment of the invention the pocket is
12 dimensioned for receipt of an insole-sized
13 microwaveable heating pad.

14

15 Typically, the upper portion is adapted to at least
16 partially enclose a users foot, and includes a base
17 upon which, in use, a users foot rests. Generally,
18 the base is formed from a fabric material.

19

20 In one particularly preferred embodiment of the
21 invention, the article of footwear includes a solid,
22 microwaveable, heating pad which is dimensioned to
23 fit into the pocket of the article of footwear.

24

25 In one embodiment, the heating pad comprises a
26 mixture of ferrite and silicone. Typically, the
27 heating pad comprises a mixture of ferrite and
28 silicone in a ratio of between 4:1 and 1:4 (W/W).

29 In a preferred embodiment, the ratio of ferrite and
30 silicone is approximately 2:1 (W/W).

31

1 Preferably the sole portion of the article of
2 footwear includes an insulating layer located
3 underneath the pocket. Typically the insulating
4 layer comprises a foam cushion. Ideally, the foam
5 cushion comprises EPDM foam. Suitably, the sole
6 portion includes an outsole. In one embodiment, the
7 outsole comprises a thermoplastic elastomer.

8

9 The invention also relates to an article of footwear
10 comprising:

- 11 - an upper portion dimensioned to at least
12 partially enclose a users foot;
- 13 - a sole portion connectable with the upper
14 portion; and
- 15 - a solid microwaveable insole-shaped heating pad,
16 wherein the sole portion includes a pocket which is
17 dimensioned for receipt of the heating pad and
18 wherein the article is adapted for removal and
19 insertion of the heating pad.

20

21 The invention also relates to a method of heating a
22 foot comprising the steps of:

- 23 - providing an article of footwear according to the
24 invention;
- 25 - removing the heating pad from the pocket of the
26 article of footwear;
- 27 - heating the heating pad in a microwave for a
28 suitable amount of time;
- 29 - inserting the thus-heated heating pad into the
30 pocket of the article of footwear; and
- 31 - inserting the foot to be heated into the article
32 of footwear.

1

2 Brief Description of the Drawings

3

4 The invention will be more clearly understood from
5 the following description of an embodiment thereof,
6 given by way of example only, with reference to the
7 accompanying drawings in which:-

8

9 Fig 1a is a side elevational view of an article of
10 footwear according to the invention;
11 Fig 1b is an elevational view from an opposite side
12 of the article footwear of Fig 1a;
13 Fig 2a is a side elevational view of the article of
14 footwear of Fig 1a with the upper portion shown
15 partially detached from the sole portion revealing a
16 pocket into which a microwaveable heating pad is
17 receivable;
18 Fig 2b is a view similar to Fig 2a showing a
19 microwaveable heating pad partially inserted into
20 the pocket of the sole portion;
21 Fig 3 is an exploded view of an article of footwear
22 according to the invention;
23 Fig 4 is a plan view from above a sole portion
24 forming part of the article of footwear of Fig 1a;
25 and
26 Fig 5 is a sectional view of the sole portion of Fig
27 4 taken along the lines V-V of Fig 4.

28

29 Referring to the drawings, and initially to Fig 1, 2
30 and 3, there is illustrated an article of footwear,
31 specifically a slipper, and indicated generally by
32 the reference numeral 1. The slipper 1 comprises an

1 upper portion 2 which is shaped to partially enclose
2 a users foot, and a sole portion 3 which includes a
3 pocket 5 for receipt of a microwaveable heating pad
4 6. The upper portion 2 and sole portion 3 are
5 connected by means of a detachable fastener in the
6 form of a zip 7 which extends completely around a
7 circumference of the slipper 1.

8

9 In more detail, and referring to Fig 3, the upper
10 portion 2 is formed of a thick cotton plush material
11 which at least partially encloses the users foot and
12 includes a fabric base portion 4 upon which, in use,
13 the user's foot abuts. A first part of the zip 7
14 extends round a circumference of the base 4 of the
15 upper portion 2.

16

17 The sole portion 3 comprises an outsole 10 formed of
18 a thermoplastic elastomer having a second part of
19 the zip 7 attached along an upper circumference
20 thereof. The sole portion 3 additionally includes
21 an EPDM cushion 11 which is located within the
22 outsole 10 and which, in use, insulates the heated
23 insole and deflects heat upwards towards a foot of a
24 user. The pocket 5 for receiving the microwaveable
25 heating pad 6 is located within the sole portion 3
26 directly above the EPDM foam cushion 11. As is
27 clearly illustrated in Fig's 3,4 and 5, the
28 microwaveable heating pad has an insole shape and is
29 dimensioned for fitting snugly within the pocket of
30 the sole portion 3.

31

1 The microwaveable heating pad 6 comprises a 2:1
2 (W/W) mixture of ferrite and silicone, which is
3 formed into the shape of an insole.

4
5 In use and referring to Fig's 2a and 2b, the
6 microwaveable heating pad 6 is first removed from a
7 slipper 1 by opening the zip 7 to reveal the heating
8 pad 6 within the sole portion 3. The pad 6 is
9 removed from the sole portion 3 and placed in a
10 microwave for heating for a suitable period of time.
11 Thus, for example, the pad may be heated by a
12 microwave on full power for 30 seconds. Once heated
13 the pad 6 is removed by the microwave and placed
14 within the pocket 5 of the sole portion 3 of the
15 slipper 1. The pad 6 is then fixed in place within
16 the slipper 1 by attaching the upper portion 2 and
17 the sole portion 3 by means of the zip 7. The
18 slipper 1 may then be worn by a user to heat the
19 users foot.

20
21 Although the present invention is described
22 primarily with reference to a slipper, it will be
23 appreciated that the invention can be applied to any
24 article of footwear, such as, for example, a shoe, a
25 boot, a running shoe, a football boot etc.
26 Likewise, although the heating pad is described as
27 comprising a mixture of ferrite and silicone, it
28 will be appreciated that any other suitable solid
29 microwaveable material may be used without departing
30 from the invention. Moreover, it will be
31 appreciated that the openable fastener connecting
32 the upper portion and the sole portion does not need

1 to extend completely around the circumference of the
2 article of footwear. In this regard, an opening may
3 be provided on the article of footwear which extends
4 around only a portion of the circumference of the
5 article of footwear and through which the
6 microwaveable heating pad may be inserted into the
7 pocket. Such an opening may be closed by means of a
8 zip, or by any other suitable closure such as, for
9 example, a velcro fastener or the like.

10

11 The invention is not limited to the embodiments here
12 and before described which may be varied in both
13 construction and detail without departing from the

14

15

16

17

18

19

20

21

22

23

1 Claims

2

3 1. An article of footwear comprising of an upper
4 portion and a sole portion, the sole portion being
5 connectable to the upper portion and including a
6 pocket for receipt of a microwaveable heating pad,
7 wherein the article is adapted for removal and
8 insertion of the microwaveable heating pad.

9

10 2. An article of footwear as claimed in Claim 1 in
11 which the upper portion and the sole portion are
12 detachable along at least a portion of a
13 circumference of the article to allow access to the
14 pocket for insertion and removable of the
15 microwaveable heating pad.

16

17 3. An article of footwear as claimed in Claim 2 in
18 which the upper portion and the sole portion are
19 connected by means of a detachable fastener such as
20 a zip.

21

22 4. An article of footwear as claimed in any
23 preceding Claim in which the pocket is dimensioned
24 for receipt of an insole-sized microwaveable heating
25 pad.

26

27 5. An article of footwear as claimed in any
28 preceding

1 Claim in which the upper portion is adapted to at
2 least partially enclose a user's foot, and includes
3 a base upon which, in use, a user's foot rests.

4

5 6. An article of footwear as claimed in any
6 preceding Claim including a solid, microwaveable,
7 heating pad which is dimensioned to fit into the
8 pocket.

9

10 7. An article of footwear as claimed in Claim 6 in
11 which the heating pad comprises a mixture of ferrite
12 and silicone, optionally in a ration of 2:1 (W/W)

13

14 8. An article of footwear as claimed in any
15 preceding Claim in which the sole portion includes
16 an insulating layer located underneath the pocket.

17

18 9. An article of footwear comprising:

19 -an upper portion dimensioned to at least partially
20 enclose a user's foot;

21 -a sole portion connectable with the upper portion;
22 and

23 a solid, microwaveable, insole-shaped heating pad,
24 wherein the sole portion includes a pocket which is
25 dimensioned for receipt of the heating pad, and
26 wherein the article is adapted for removal and
27 insertion of the heating pad.

28

29 10. A method of heating a foot comprising the steps
30 of:

31 -providing an article of footwear according to any
32 of Claims 6 to 8;

- 1 -removing a heating pad from the pocket of the
- 2 article of footwear;
- 3 -heating the heating pad in a microwave for a
- 4 suitable amount of time;
- 5 -inserting the thus-heated heating pad into the
- 6 pocket of the article of footwear; and
- 7 -inserting the foot to be heated into the article of
- 8 footwear.

1 / 4




Fig. 1a




Fig. 1b

2 / 4




Fig. 2a




Fig. 2b

3 / 4




Fig. 3




Fig. 4




Fig. 5

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 03/07124

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A43B7/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A43B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 806 208 A (FRENCH MICHAEL J) 15 September 1998 (1998-09-15) column 5, line 48 - line 52	1, 9, 10
A	WO 02 24016 A (KOTACK ALLAN) 28 March 2002 (2002-03-28) page 12, paragraph 4 page 14, paragraph 3	1, 5, 6, 9, 10
A	US 90 197 A (WILLIAM ROGERS) 18 May 1869 (1869-05-18) the whole document	1, 9, 10
A	GB 1 328 050 A (SHIMIZU S) 22 August 1973 (1973-08-22) the whole document	1, 9, 10
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- *G* document member of the same patent family

Date of the actual completion of the international search

5 September 2003

Date of mailing of the international search report

12/09/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Claudel, B

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 03/07124

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 296 01 097 U (KUEDERLI PETER) 4 July 1996 (1996-07-04) the whole document ---	1,9,10
A	WO 94 28834 A (JMK INT INC) 22 December 1994 (1994-12-22) cited in the application the whole document -----	1,9,10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 03/07124

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5806208	A	15-09-1998	AU 5380798 A WO 9825491 A1	03-07-1998 18-06-1998
WO 0224016	A	28-03-2002	CA 2320672 A1 AU 9357001 A WO 0224016 A2 CA 2357698 A1 GB 2368773 A ,B US 2002038098 A1	25-03-2002 02-04-2002 28-03-2002 25-03-2002 15-05-2002 28-03-2002
US 90197	A		NONE	
GB 1328050	A	22-08-1973	NONE	
DE 29601097	U	04-07-1996	DE 29601097 U1	04-07-1996
WO 9428834	A	22-12-1994	WO 9428834 A1 AU 4637193 A EP 0708626 A1	22-12-1994 03-01-1995 01-05-1996